# Contents

INTRODUCTION	1
1. DERMATOLOGY	3
The Allopathic versus the Homoeopathic View	3
Clinical Features and Repertory Rubrics	6
Asteatotic eczema	7
Atopic eczema	7
Contact dermatitis	8
Eczema papulosum	9
Eczema pustulosum	9
Eczema rubrum	9
Eczema sclerosum	9
Eczema siccum	9
Eczema varicosum	10
Infantile eczema	10
Infected dermatitis	10
Nummular eczema	11
Pityriasis alba	11
Seborrhoeic dermatitis	11
Allopathic Treatment	12
Topical Steroids	12
Other Treatments	13
Complications	14
Other Skin Conditions That May Resemble Eczema	14
Erysipelas	14
Erythema multiforme	15
Fungal infections	15
Ichthyosis	15
Lichen planus	15
Pemphigus	15
Proritie	15

#### Contents

Psoriasis	16
Scabies	16
Scalded skin syndrome	16
Relevant Terms Defined	16
Collaboration with the Patient's General Practitioner	17
2. TAKING THE CASE OF AN ECZEMA PATIENT	19
Starting with Particulars	19
Open Questions	21
Direct Questions	21
Modalities	22
Emotional modalities	23
Character of eruption	23
Sensation	24
Location	24
Concomitant Symptoms	25
Alternating Symptoms	26
Aetiology	26
Vaccination as an aetiology	27
Emotional aetiology	28
The Medical Biography	28
General Case-Taking Techniques	29
Individualise your approach	30
Infants and toddlers	31
Adolescents	33
Obtaining a character profile	34
Symbolic language	35
Questionnaires	36
Computer databases	36
3. CASE ANALYSIS	37
Repertories	37
Precision	38
Computers	39
Particulars in Case Analysis	40
Which Totality?	42
The Hologram Analogy	43
Correspondences with the homoeopathic case	43
Remedies vary in size	44

Characteristic Symptoms	46
Lack of Mental Symptoms	49
Acorns and Oaks	49
Severe Cases and the 'Small Totality'	51
Symptom matrices	51
Small totality case examples	52
Superficial Symptoms, Suppression and Proving	59
Mild to Moderate Eczema Cases	62
Definitely Maybe	64
Suppression or Unfoldment?	65
Small Patients and the Small Totality	66
A Caution: Seek the Biggest Totality	68
Symptoms as Symbols, Illness as Metaphor	69
Reverse Elimination	71
4. REASONS FOR FAILURE	72
Educating the Patient	72
The time factor – impatient patients	72
Suppressing aggravation	74
Lifestyle and diet	75
The Elusive Simillimum	76
Looking for Polychrests	76
Lateral Thinking - Non-Repertorial Prescriptions	77
Inflexibility	77
Going too Deep	78
Being too Shallow	79
Hydrocortisone	79
Incurable Cases	80
5. AGGRAVATION AND CASE MANAGEMENT	81
Commonsense Precautions	81
Predicting Aggravation	81
Potency, Dosage and Aggravation	84
Potency	84
LM potencies	84
Repetition of the dose	85
Too deep a layer	86
Waiting	87
Treating Aggravation	87

# Introduction

Eczema is notoriously difficult to treat. I believe that the reasons are not so much inherent in the condition itself but rather in our approach to treating it. If we can identify the reasons behind our failed or perplexing cases, it should be possible to develop more effective strategies for the future. It is the results of my investigations in this regard that I would like to offer here for the reader's consideration.

My main interest in homoeopathy is in striving towards an approach that seeks to understand and treat people holistically. The word 'holistic' is frequently used in connection with natural and complementary therapies. Although it has become a fashionable concept its essential meaning can easily be lost. Holistic medicine should mean more than 'treating everything'. It does not simply infer the application of a separate therapy, or in the case of homoeopathy a different remedy, for every individual complaint. Nor is it sufficient to define holism as an approach that addresses the mind, body and spirit of the person. In its deepest sense it is more than merely a form of humane, all-encompassing medicine.

To understand homoeopathy, when practised as its founder Samuel Hahnemann originally intended, is to understand the true meaning of holism. That is, we recognise the need to heal mind, body and spirit and pay attention to all the patient's symptoms, but additionally perceive the inter-relatedness of all aspects of the person and seek to make connections between seemingly disparate signs and symptoms. Good homoeopathy takes into consideration the inner world of the patient – we attempt to make sense of their emotional make-up and its often important part in the disease process.

Sometimes the patient's observable signs and symptoms take on a figurative meaning. Here the homoeopath seeks to relate the patient's inner and outer worlds in a way that involves considerable interpretative skills. Some homoeopaths are inclined to concentrate on this 'bigger picture', the emblematic patterns in the patient's symptoms, while others have a narrower perspective and concentrate more on particulars

and solid facts. A well-rounded practitioner needs to be conversant with both extremes, as well as every variation in between. The art lies in being able to perceive the multidimensional whole while not losing sight of the smallest details. In that way, by maintaining an open mind and a broad perspective, and by applying our inherently holistic therapy, we can exemplify holism in its most profound expression.

A classical homoeopath may, in the light of the above, wonder how a book can be written about the treatment of one particular disease. This book has contemporary classical homoeopathy as its background. That is, homoeopathy that attempts to understand the dynamics of the disease process in a holistic way, with particular regard to the role that the mind and the emotions play in the process. The recent integration of depth psychology into homoeopathic practice has been one of the most exciting developments in homoeopathy. However, trying to work in that way can at times be counterproductive – the psychosomatic approach is not appropriate in every type of case.

Even though the majority of illness is either psychosomatic, or certainly has emotional components, some of the most difficult cases are those with few or no mental symptoms. Over-reliance on mental symptoms, and attempting to make a psychological case of every patient, can lead to confusion and disappointing results. We need to be able to sense both where the centre of gravity is in the pathology of the case, as well as which elements of the information gathered from the patient are relevant to the analysis.

One of the scenarios we often encounter when treating eczema is what Samuel Hahnemann, in Paragraph 173 of the *Organon*, called 'one-sided' cases. That is, cases with very few characteristic mental and general symptoms upon which to confidently base a prescription. These cases present us with their own type of difficulties and call for particular clinical strategies. The possible reasons why eczema so often presents in this way also need to be considered. Then, having successfully analysed the case – having 'perceived what is to be cured in the patient' – we need to know how to proceed to cure, effectively adapting to any difficulties that may arise along the way.

There are several different ways in which practitioners have difficulty with eczema. Knowledge of materia medica, the techniques employed in case-taking and the intricacies of case analysis are three large subjects and a lack of skill in any of these areas will obviously limit our success. However, there are aspects of each of these subjects which relate uniquely to the treatment of eczema and which need to be understood in order to ensure satisfactory results.

#### Introduction

The management of the eczema case also poses particular problems for many homoeopaths. In modern homoeopathic literature much emphasis is put on 'finding the remedy'. However, a suitable opening prescription does not guarantee a successful outcome. Such areas as patient education, managing and preventing aggravation, the use of topical treatment (including the influence of orthodox pharmaceutical preparations if these are part of the presenting case), dosage and, in particular, the second and subsequent prescriptions, all need to be mastered in order for treatment to be as effective as possible.

The materia medica section of this book is written with practical application in mind. The frequent use of remedies for a specific ailment allows us to develop an understanding of the essential nature of the remedy – that is, 'the person behind the symptoms' – as well as its characteristic symptoms for that complaint. Many therapeutic materia medica are of limited practical use because they present remedies as one-dimensional lists of symptoms which fail to impart any feel for the character of the remedy and what makes it unique. Precise remedy differentiations are very important in therapeutic materia medica, especially between small and polychrest remedies. I have attempted to provide a comprehensive materia medica of the remedies most relevant to the treatment of eczema in such a way as to facilitate their differentiation from other indicated remedies.

When quoting from the *Organon*, I have referred in all cases to the Sixth Edition. The repertory used throughout the book is *The Complete Repertory*, Version 3.0, by Roger van Zandvoort.

## GENERAL INDEX

aetiology, 26, 47	case-taking (continued)
emotional, 28	alternating symptoms, 26
aggravations, 74, 78, 79, 81-91	case notes, 29-30
treatment of, 87-8	character of eruption, 23-4
allergies, 7, 8, 10, 75	concomitant symptoms, 25-6
Aloe Vera, 89	grading of symptoms, 21, 22
alternating symptoms, 26	individualisation, 30-1
amino acids, 91	infants and toddlers, 31-3
antibiotics, 13	location, 24
antidoting, 88	medical history, 28-9
areola, 16	modalities, 21, 22-5
athlete's foot: see tinea pedis	modalities, emotional, 23
	'never been well since':
Bach Rescue Cream, 89	see actiology
blepharitis, 16	obtaining a character profile, 34-5
marginal, 11	particular symptoms, 19-20
bullae, 16	questionnaires, 36
	questions, direct, 21-2
case analysis, 37-71	questions, open, 20
characteristic symptoms, 40-1, 46-8,	repertories, computer, 39-40
65	sensation, 24
hologram analogy, 43-4	symbolic language, 35-6
mental symptoms, absence of, 49	techniques, 29–31
particulars in, 40–1, 49	underlining, 21, 22
plant analogy, 49–50, 52	cataracts, 14
precision in, 38	cellulitis, 14, 16
repertories, 37–40	centre of gravity, 2, 20, 56, 79
repertories, computer, 39–40	characteristic symptoms, 40–1, 46–8,
repertories, computer, 39-40 repertories, precision in using, 38	65
severe cases and the 'small totality',	
51–9	Chronic Diseases, The, 6, 86
size of rubrics, 48	classical homoeopathy, 2
symptoms, elimination of, 71	complications, 14
	computer databases, 36
symptoms, matrix of, 51–2, 56	computer repertories, 39-40
symptoms, symbolic meaning of, 47,	concomitant symptoms, 25–6
69–71	constitutional characteristics, 4, 7, 56,
symptoms, totality of, 42-4, 51-9,	65
66-9	corticosteroids: see steroids
case management, 81-91	cradle cap, 7, 11
educating the patient, 72-6	dd00 11
case-taking, 19–36	dandruff, 11
adolescents, 33-4	dark field microscopy, 42
aetiology, 26	dermatitis
aetiology, emotional, 28	constitutional: see eczema

### General Index

dermatitis (continued)	erythema multiforme, 15
contact, 8	erythroderma, 14, 16
definition of, 6	essences, 140-3
endogenous: see eczema exfoliative, 14	exciting causes, 76
infected, 10-11	failure, reasons for, 72-80
seborrhoeic, 11–12	fatty acids, 91
dermatology, 4-18	folic acid, 91
allopathic view, 4-6	fungal infections, 15
homoeopathic view, 5	furuncles, 17
dermatophyte infections: see fungal	
infections	general practitioners, collaboration of
desquamation, 16	homoeopath with, 17-18
deteriorating cases, 88	grading of symptoms: see case-taking
detoxification, 90	0 0 , , ,
dhobi itch: see tinea cruris	Hahnemann, Samuel, 2, 4
diet, 75, 90	Hering's Law of Cure, 5, 49, 65
Doctrine of Signatures, 140-3	herpes simplex, 14
	hirsutism, 17
eczema	holistic approach, 1-2, 4, 79
allopathic treatment of, 12-13 asteatotic, 7	hydrocortisone: see steroids
atopic, 7, 14, 81	ichthyosis, 15
complications of, 14	immunology, 7-8
definition of, 6	incurable cases, 80
discoid: see eczema, nummular	individualisation, 30-1, 64-5
gravitational: see eczema varicosum	infiltration, 17
hypostatic: see eczema varicosum	inherited susceptibility, 28
infantile, 10 nummular, 11, 17	itching: see pruritis
other skin conditions resembling,	jock itch: see tinea cruris
14–16	joen nen see tilled et alls
pregnancy, during, 131	Kaposi's varicelliform eruption, 14
eczema madidans: see eczema rubrum	Kent, James Tyler, 78
eczema papulosum, 9	
eczema pustulosum, 9	Lactobacillus acidophilus, 91
eczema rubrum, 9	language, symbolic, 35-6
eczema sclerosum, 9	Law of Cure, Hering's, 5, 49
eczema siccum, 9, 17	layers, 49, 53-4, 56, 57, 78, 83, 86-7
eczema solare, 8	constitutional, 86
eczema varicosum, 10	fundamental, 86
educating the patient, 72-6	lesional, 54, 78, 86
Eizayaga, Francisco, 86	Lectures on Homoeopathic
emollients: see moisturisation	Philosophy, 42
encephalitis, 14	lichen planus, 15
erysipelas, 14	lichenification, 17
erythema, 16	LM potencies, 84-5

repertories, 37-40 maintaining causes, 75-6 computer, 39-40 mental symptoms, absence of, 49 miasmatic prescribing, 28-9, 78, 80, precision in using, 38 87 repetition of dose, 85-6 miasms, 28-9, 80, 82, 136 rhagades, 17 ringworm: see tinea corporis milk-crust: see cradle cap mind maps, 30 ringworm, of the scalp: see tinea modalities, 21, 22-5, 47 capitis emotional, 22 roseola, 17 moisturisation, 13, 16 rupia, 17 morphaea, 17 scabies, 16 scalded skin syndrome, 16 'never been well since': see actiology scleroderma, 17 nosodes, 78, 83, 87 second prescription, the, 77-8 nutritional supplements, 90-1 septicaemia, 14 severe cases, 51-9 one-sided cases, 2, 52-3, 54, 55, 58, simillimum, the, 76, 86 small remedies, 45, 57 Organon, The, 2, 6, 29, 35, 41, 42, 46, small totalities, 51-9, 66-8 52-3, 59, 61, 85 Spirit of Homoeopathy, The, 41 otitis externa, 11 staphylococcus, 10, 16 steroids, 12-13, 79, 80, 90 palliation, 13, 75 streptococcus, 14 papules, 17 strophulus, 17 particular symptoms, 19-20, 49 sudamina, 17 pemphigus, 15 suppression, 5-6, 12, 52, 56-7, petechiae, 17 59-62, 65-6, 74-5, 79, 80, 81, 83, phagocyte, 17 88, 89-90, 125, 134 pityriasis alba, 11 symbolic language, 35-6 plussing, 86 symmetrical eruptions, 25 polychrests, 76, 92 symptoms potency, 84-5 aggravation of, 74, 78, 79, prostaglandin, 17 81-91 proving symptoms, 61, 86 alternating, 26 prurigo, 17 characteristic, 46-8, 65 pruritis, 15-16 concomitant, 25-6 psora, 6 elimination of, 71 psoriasis, 16 matrix of, 51-2, 56, 79, 92 mental, absence of, 49 questionnaires, 36 particular, 19-20, 49 proving, 61, 86 reagin, 17 suppression of, 5-6, 12, 52, 56-7, reasons for failure 59-62, 65-6, 74-5, 79, 80, 81, 83, diet, 75 88, 89-90, 125, 134 incurable cases, 80 symbolic meaning of, 69-71 totality of, 42-4, 51-9, 66-9 maintaining causes, 75-6

#### General Index

tautopathy, 27, 79 underlining: see case-taking, grading tinea capitis, 15 of symptoms tinea corporis, 15 vaccination, 14, 27, 67 tinea cruris, 15 vesicle, 17 tinea pedis, 15 vital force, 85, 86, 88, 89, 91 tinea versicolor, 15 vitamin A, 91 topical applications, 88-90 totality of symptoms, 42-4, 51-9, wens, 17 66-9 toxic epidermal necrolysis: see

scalded skin syndrome

zigzagging, 52, 63, 76 zinc supplements, 91

#### REMEDY INDEX

Alumina, 26, 28, 29, 32, 44, 51, 66, Graphites, 26, 28, 29, 48, 58, 61, 63, 79, 84, 93, 107, 121 71, 82, 93, 135 Apis Mellifica, 94, 97 Hepar Sulphuris, 52, 109, 121 Arnica, 25 Hyoscyamus, 87 Arsenicum Album, 25, 32, 57, 62, 66, 71, 95, 135, 143 Ignatia, 28, 45, 59, 68, 69, 70, 110, Asparagus, 45 Aurum Metallicum, 77 Aurum Sulphuricum, 77 Juglans Cinerea, 111 Baryta Carbonica, 48, 63 Kali Bromatum, 39 Baryta Nitrica, 77 Kali Carbonicum, 83 Belladonna, 26, 47, 66, 70, 82, 97 Kali Sulphuricum, 112 Benzoic Acid, 45 Kreosotum, 47, 52, 140, 141, 142, Berberis Vulgaris, 98 Borax, 64 Lac Caninum, 25 Bovista, 51, 52, 99 Lachesis, 57, 58, 77, 78, 82, 113 Ledum, 51, 52 Caladium, 26 Lycopodium, 28, 32, 51, 58, 63, 68, Calcarea Carbonica, 31, 32, 48, 57, 106, 114 58, 71, 76, 77, 82, 93, 100, 101, 127 Malandrinum, 27 Calcarea Muriatica, 77 Manganum, 115 Calcarea Phosphorica, 32, 142 Medorrhinum, 31, 32, 58, 116 Calcarea Sulphurica, 101 Mercurius Solubilis, 29, 51, 52, 53, Calendula, 83, 89 54, 56, 66, 67, 71, 115, 117, 121 Carcinosin, 58, 102 Mezereum, 26, 27, 31, 32, 37, 51, 52, Carlsbad, 132 59, 68, 119 Causticum, 48, 142 Chamomilla, 142 Naja, 113 China Officinalis, 58 Natrum Carbonicum, 47 Cicuta Virosa, 103 Natrum Muriaticum, 25, 28, 38, 58, Clematis Erecta, 28, 29, 47, 51, 55, 63, 70, 79, 115, 120, 121, 133 59, 82, 104 Nitric Acid, 63, 121, 143 Crotalus Horridus, 27 Nux Vomica, 45 Croton Tiglium, 26, 105 Oleander, 52, 59, 77, 122 Dolichos, 51 Petroleum, 28, 56, 59, 63, 64, 71, 93, Dulcamara, 31, 67, 106 121, 123, 130 Phosphorus, 25, 31, 32, 33, 47, 54, Elaps, 113 57, 66, 76, 102, 124 Physostigma, 39 Ferrum, 48 Platina, 26

#### Remedy Index

Prunus Spinosa, 45 Psorinum, 26, 38, 51, 58, 67, 82, 83, 116, 125, 135 Pulsatilla, 25, 38, 45, 51, 58, 82, 106, 112, 127

Rhus Toxicodendron, 26, 55, 61, 68, 71, 128, 130 Rhus Venenata, 130

Sabadilla, 47
Sanicula, 58, 132
Sarsaparilla, 27, 51, 59, 130
Sepia, 25, 28, 54, 59, 68, 70, 121, 131
Silicea, 32, 63, 82, 127
Skookum Chuck, 27, 132
Staphysagria, 24, 70, 82, 102, 133
Sulphur, 26, 27, 31, 32, 33, 38, 51, 52, 54, 55, 57, 58, 66, 67, 71, 77, 79, 82, 83, 95, 101, 104, 112, 114, 115, 119, 121, 127, 134, 143

Symphytum, 45 Syphilinum, 25

Thuja Occidentalis, 31, 47, 58, 63, 70, 136

Thyroidinum, 25

Tuberculinum Bovinum, 24, 26, 31, 32, 58, 68, 69, 73, 74, 116, 137

Tuberculinum Koch, 43, 137

Urtica Urens, 51, 89

Variolinum, 27 Vinca Minor, 138 Viola Tricolor, 59, 93, 138 Vipera, 113

Wiesbaden, 132 Zincum, 58, 82

## RUBRIC INDEX

100	
CHEST; ALTERNATING with; skin	GENERALITIES; SEASONS; summer;
symptoms, 8	agg., 70
	GENERALITIES; TOBACCO; desires;
EAR; ERUPTIONS;	smoking, 48
eczema, 11	GENERALITIES; VACCINATION; after, 67
eczema; meatus, 12	GENERALITIES; VEINS; varicose,
behind the ears; moist, 77	distended, engorged, plethoric;
EXTREMITIES; CRACKED skin; hands, 55	itching, 10
EXTREMITIES; ERUPTIONS;	
ankle; eczema; varicosum, 10	HEAD; DANDRUFF, 11
joints; bends of, 64, 68	HEAD; ERUPTIONS;
EXTREMITIES; ITCHING; lower limbs;	crusts, scabs, 7
varices, 10	itching, 59
EXTREMITIES; NAILS; affections of;	milk crust, 11
exfoliation, 68	HEAD; PERSPIRATION; scalp; sleep;
EXTREMITIES; VARICES; leg; itching, 10	during, 54
EXTREMITIES; WALK; late learning to, 64	HEAD; SEBORRHOEA, 11
EYE; ERUPTIONS;	MIND; ABRUPT, rough, 63
eyebrows, about, 12	MIND; AILMENTS from;
lids, on; margins, 12	admonition, 102
EYE; INFLAMMATION; lids; margins, 12	anger, vexation, 28 grief, sorrow, care, 28
FACE; DISCOLORATION; red; circum-	love; disappointed, unhappy, 47
scribed, 55	MIND; ALTERNATING mental and
	physical symptoms, 26
GENERALITIES; ALLERGY, 8	MIND; ANSWERS;
GENERALITIES; FANNED;	hastily, 31
being; amel., 57	incorrectly, 31
desire to be, 58	irrelevantly, 31
GENERALITIES; FOOD and drinks;	monosyllabic, 31
bananas; desires, 73	slowly, 31
cheese; aversion to, 73	MIND; ANXIETY; trifles about, 62
milk; desires, 64, 68	MIND; BITING, 73
pungent things; desires, 62	MIND; CHEERFULNESS, 48
salt or salty food; desires, 39	MIND; CONSCIENTIOUS about trifles, 62
spices, condiments, piquant, highly	MIND; DELUSIONS; war, being at, 70
seasoned food; desires, 38, 54	MIND; DISCONTENTED, displeased,
sweets; desires, 64	dissatisfied, 48, 73
GENERALITIES; HEAT;	MIND; DISCOURAGED, 48
sensation of, 26, 57	MIND; ENVY, 48
vital, lack of, 26, 63	MIND; FASTIDIOUS, 38, 54, 62
GENERALITIES; HEATED, becoming, 57,	MIND; FEAR; noise, from, 64
59	MIND; FORSAKEN feeling, 39

### Rubric Index

MIND; IMPATIENCE, 63	SKIN; ERUPTIONS; (continued)
MIND; IRRESOLUTION, indecision, 63	desquamating, 7
MIND; IRRITABILITY; menses, before, 38	desquamating; scales, white, 10, 11 discharging, moist, 7, 9, 55
MIND; MALICIOUS, 48	discharging, moist; scratching, after,
MIND; OBSTINATE; headstrong;	44, 52, 93
children, 33	dry, 7, 10
MIND; OFFENDED easily, 102	dry; bleeding; scratching, after, 62
MIND; RESTLESSNESS; nervousness;	dry; children, in, 10
children, in, 73	eczema, 64, 103
MIND; SECRETIVE, 63	eczema; children, in, 10
MIND; STRIKING; knocking his head	eczema; dry, 10
against wall, 73	eczema; madidans, 9
MIND; TALK, talking, talks;	eczema; rubrum, 9
battles, about, 70	eczema; suppurating, 9
slow learning to, 31	eczema; wound, in
MIND; TIMIDITY, 64	neighbourhood of, 11
	fetid, 53
RECTUM; CONSTIPATION; children, in,	fissured, 43, 93
32	friction; clothing, of; agg., 8
RESPIRATION; ASTHMATIC;	hairy parts, on, 12
alternating with; eruptions, 8	moist; bloody, 53
evening, 58	papular, 9
	patches, 11, 93
SKIN; BURNING; scratching, after, 93	perspiring parts, on, 55
SKIN; CHAPPING, 7	pustules, 9
SKIN; CRACKS; fissures, 7	rash; children, in, 10
deep, bloody, 53, 56, 63	rash; scarlet, 70
SKIN; DISCOLORATION; white, 11	rash; white, 11
SKIN; DRY, 7, 9	scaly, 7, 10
babies, in, 10	scaly; white, 11
SKIN; ERUPTIONS;	scratching, after, 59, 68
General; alternating with; asthma, 8,	sun, from, 8
26	suppressed, 56
General; alternating with; internal	suppurating, 56
complaints, 26	swelling, with, 9
General; alternating with; respiratory	vesicular; itching, 54
symptoms, 8, 26	vesicular; small, 55
General; vaccination, after, 27	vesicular; sun, from exposure to, 8
General; washing; agg., 51, 54, 67	vesicular; wound, around a, 11
bleeding; scratching, after, 57, 101, 135	winter; agg., 43, 52, 55, 56 yellow, 67
colour; whitish, 11	SKIN; ERYSIPELAS, 48
crusty; dry, 9	SKIN; EXCORIATION; scratching, after,
crusty; thick, 9	55
crusty; white, 11	SKIN; HARD; 9
crusty; yellow, 67, 93	parchment, like; dry, 9

SKIN; HARD (continued)	SKIN; ITCHING; (continued)
thickening, with, 9	undressing; agg., 52, 67
SKIN; INFLAMMATION, 70	wandering, 47, 69
SKIN; ITCHING;	warm, becoming, 43, 51, 53, 54, 55,
air; cold; agg., 54, 67	59, 67
bleeding; scratching, after, 67, 135	warmth; amel., 67
eruption; without, 55, 59	wool; agg., 48, 52
evening, 51	SKIN; PAIN; scratching, after, 77
hairy parts, 12	SKIN; SENSITIVENESS; sun, to, 8
morning; bed, in, 68	SKIN; ULCERS; discharges; green,
night, 39, 44, 51, 52, 53, 54, 55, 57,	56
63, 64, 77	SLEEP; SLEEPLESSNESS; itching, from,
scratch; must; until it bleeds, 51,	67
101, 135	SPEECH & VOICE; SPEECH;
scratch; must; until it is raw, 51, 135	slow, 31
scratching; amel., 52, 55	stammering, 31
scratching; changing place, on, 43,	7-2-2-2
69	TEETH: DENTITION: difficult, 32